zenitel

DATASHEET

3006200005

IRR-VSPM-24

Boîte de relais 24 VDC pour VSP M



IP-66

Description

- Boîtier relais timer séparé pour l'exploitation de modules de signalisation sonore ou visuelle 24 VDC
- Circuit de temporisation intégré - délai de signalisation standard de 20 secondes
- Bouton d'arrêt de l'alarme
- Montage en applique
- Parfaitement adapté à une utilisation en milieu bruyant

www.zenitel.com info@zenitel.com

Last revision date: 2023-08-08 20:22

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Technical Dimensions

www.zenitel.com info@zenitel.com Last revision date: 2023-08-08 20:22

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Spécifications

GÉNÉRAL

Connexions	Borniers à vis
Matériau	Boîtier en plastique mélangé ignifugé
Indice de Protection IP	IP-66
Dimensions (LxHxP)	224 x 80 x 63 mm
Poids	0,60 kg

www.zenitel.com info@zenitel.com Last revision date: 2023-08-08 20:22

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.