zenitel

DATASHEET

1008140230

TA-23

Combiné industriel avec PTT pour poste Turbine



ICX-AlphaCom Exigo IP-66

Description

CARACTÉRISTIQUES

- Combiné résistant pour milieu industriel
- Bouton PTT pour les conversations simplex dans les environnements bruyants
- Microphone avec suppression de bruit
- Réduction de bruit de fond numérique haute qualité*
- Compatible avec la qualité de voix HD*
- Indice de Protection IP-66 contre la poussière et l'eau

www.zenitel.com info@zenitel.com

Last revision date: 2024-03-20 16:25

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.


Conçu pour les postes industriels Turbine

*Lorsqu'il est utilisé avec les postes industriels Turbine

DESCRIPTION

Le combiné TA-23 pour postes industriels Turbine est un dispositif résistant et haut qualité conçu pour une utilisation dans les milieux industriel et militaire. Sa finesse le rend très utile dans les environnements où le port du casque est obligatoire puisque le combiné se glisse facilement sous le casque ou la protection auditive de l'utilisateur. Le TA-23 est équipé d'un bouton PTT latéral pour les conversations simplex dans les environnements extrêmement bruyants. Lorsqu'il est utilisé avec les postes industriels Turbine, la fonction suppression de bruit active offre une qualité audio et une intelligibilité exceptionnelles. Un crochet est fourni avec le combiné.

Technical Dimensions



Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Spécifications

MÉCANIQUE	
Dimensions (LxPxH)	200 x 70 x 50 mm
Poids	310 g
Longueur de câble	1,0 m (contracté) / 3,5 m (détendu)

ENVIRONNEMENT	
Températures de fonctionnement	-40°C à +65°C
Indice de Protection IP	IP-66

ACOUSTIQUE	
Réponse en fréquence	200 - 7000 Hz

Used With



TFIE-1

Interphone IP SIP

Référence Produit: 1008122010



TFIE-2

Interphone IP SIP

Référence Produit: 1008122020



EAPII-1

Panneau d'accès industriel Exigo, 1 Bouton

Référence Produit: 1023201201



EAPII-6

Panneau d'accès industriel Exigo, 6 Boutons

Référence Produit: 1023201206

www.zenitel.com info@zenitel.com Last revision date: 2024-03-20 16:25

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



TFIE-6

Interphone IP SIP

Référence Produit:
1008122060

www.zenitel.com info@zenitel.com Last revision date: 2024-03-20 16:25

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.