zenitel

DATASHEET



3006202013

# PLM-54

Armoire pour installations en extérieur

IP-66

## Description

- Fixation murale en utilisant une plaque de montage
- Couleur gris RAL 7035
- Anti-corrosion
- Plaques d'acier rêvetues de zinc doublement chromé
- Kit de montage en applique pour une fixation à l'extérieur
- Indice de Protection IP-66 contre la poussière et l'eau



www.zenitel.com info@zenitel.com

Last revision date: 2026-09-04 14:02

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Complément du PLM-54M

Presse-étoupes M20

Kit de montage inclus



www.zenitel.com info@zenitel.com Last revision date: 2026-09-04 14:02

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

# Spécifications

## GÉNÉRAL

| | |
|---|---|
| PLM-54 | Résistant à l'eau de mer, IP-66 |
| Dimensions (LxHxP) | 430 x 530 x 200 mm |
| Poids | 9,3 kg |
| Plaque de montage | Dimensions : 255 x 154 mm |



www.zenitel.com info@zenitel.com Last revision date: 2026-09-04 14:02

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.