zenitel

DATASHEET

3006204099

MP-118

Passerelle VoIP 8 lignes FXO

DISCONTINUED



Description

- Connecte le système AlphaCom XE Vingtor-Stentofon aux systèmes téléphoniques externes tels que les PABX et les réseaux téléphoniques publics
- Possibilité de partager une passerelle avec plusieurs noeuds AlphaCom XE (nécessite une licence VoIP AlphaNet)
- Haute qualité audio supportant l'annulation d'écho et la commutation simple par défaut
- Gestion Web pour faciliter la configuration et l'installation
- 8 lignes FXO

www.zenitel.com info@zenitel.com

Last revision date: 2024-09-23 16:07

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Spécifications

GÉNÉRAL

Utilisation	Passerelle téléphonique analogique
Interface téléphonique	Déclenchement par boucle FXO
Températures de fonctionnement	De +5°C à +40°C
Températures de stockage	De -25°C à +85°C
Humidité supportée	De 10% à 90% (sans condensation)
Dimensions (LxHxP)	220 x 42 x 172 mm
Alimentation	100 – 240 VAC / 50-60 Hz
Montage	Rack avec un kit de montage en rack optionnel, horizontal sur bureau ou mural
Interface Ethernet	10/100 Mbps, Base-Tx, RJ45
Réseau QoS	DiffServ, TOS
Transport IP	RFP / RTCP par IETF RFC 3550 et 3551
Identification de l'appelant	Bellcore Type 1 & 2, ETSI, BT, NTT et DTMF CID (Brésil, Danemark, Inde, Pays-Bas, Suède)
Signalisation intrabande	DTMF (TIA 464B) Défini par l'utilisateur et tonalité de progression d'appel
	EN 55022 Classe B, CFR Partie 15 Classe B, EN 55024, EN

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Conformité CEM	61000-3-3, EN 61000-3-2, VCCI Classe X1 (équivalent à la classe B)
Normes de sécurité	EN 60950-1 Sécurité des équipements électroniques, UL60950-1comportant la conformité à la section 6 (protection contre une surtension)
Conformité Télécom	TRR-21, TIA-968
Routage des appels	Deux étapes de numérotation, Recherche de ligne, Sélection de ligne Préfixe

www.zenitel.com info@zenitel.com Last revision date: 2024-09-23 16:07

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.