zenitel

DATASHEET

1023697006

EPIPR-6

Injecteur d'alimentation Exigo, PoE, 6 Ports





Exigo

Description

Le EPIPR-6 est un injecteur de courant Power over Ethernet (PoE, mode B, paire de rechange) qui fournit jusqu'à 15,7 W par port pour jusqu'à 6 appareils.


Utilisez cet injecteur de courant pour les configurations qui nécessitent un système double A-B pour la redondance, par exemple les installations de sonorisation et d'alarme générale dans les milieux marins ou offshore.


Cet injecteur fournit une puissance continue aux panneaux des deux systèmes, leur permettant ainsi de fonctionner même si un des systèmes rencontre une panne de courant ou qu'une liaison par câble est rompue.


Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.


ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Technical Dimensions









www.zenitel.com info@zenitel.com Last revision date: 2025-11-25 13:39

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Spécifications

PRODUITS INCLUS
6 Câbles de données internes de 0,5 m
1 Câble de données interne de 1,0 m
1 Câble d'alimentation
3 Fusibles 500 mA de rechange

MÉCANIQUE	
Ports	6 ports PoE
Dimensions (LxHxP)	132,5 x 57 x 32,5 mm
Poids	0,15 kg (injecteur)
	0,30 kg (câbles inclus)
Indice de Protection IP	IP-20

ENVIRONNEMENT	
Températures de fonctionnement	De -15°C à +55°C
Températures de stockage	De -40°C à +70°C
Humidité supportée	De 15% à 95% (sans condensation)
Pression atmosphérique	De 700 hPa à 1 300 hPa

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

ÉLECTRIQUE	
Tension nominale	48 VDC
Protection des sorties	Fusible 500 mA sur toutes les sorties
Fourniture d'énergie, compatible avec PoE mode B (paire de rechange)	15,7 W

Used With



ECPIR-3P

Panneau d'appel Exigo, 1 Bouton PTT et 3 Boutons

Référence Produit: 1023200033



ECPIR-P

Exigo Call Panel, PTT Button

Référence Produit: 1023200030



EAPIR-8

Panneau d'alarme, 8 Boutons

Référence Produit: 1023201008



EAPII-1

Panneau d'accès industriel Exigo, 1 Bouton

Référence Produit: 1023201201

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



EAPII-6

Panneau d'accès industriel
Exigo, 6 Boutons

Référence Produit:
1023201206

www.zenitel.com info@zenitel.com Last revision date: 2025-11-25 13:39

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.