zenitel

DATASHEET

2310101009

SD423-PGE1-X

Caméra dôme Spectra



IP-66

Description

- Deux ensembles de caméra couleur/composants optiques intégrés à mise au point automatique et haute résolution
- Jour/nuit, 540 lignes de télévision
- Zoom optique 23x
- Blanking de fenêtre
- Surimpression de titre de caméra, 20 caractères définissables par l'utilisateur
- Affichage du compas et de la position verticale à l'écran
- Protection par mot de passe
- Arrêt sur image pendant les préréglages
- Protection intégrée contre la foudre et les surtensions
- Circuit UTP (paire torsadée non blindée) passif intégré
- Horloge de programmation interne

www.zenitel.com info@zenitel.com Last revision date: 2023-04-18 14:45

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

- À utiliser dans une salle des machines ou en intérieur, construction en aluminium

www.zenitel.com info@zenitel.com Last revision date: 2023-04-18 14:45

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Spécifications

GÉNÉRAL	
Dimensions (LxH)	Caméra 269 x 218 mm
Poids	3,07 kg

ÉLECTRIQUE	
Tension d'entrée nominale	De 18 à 32 VAC; 24 VAC
	De 22 à 27 VDC; 24 VDC
Alimentation nominale	
24 VAC	23 VA (sans régulateur de chaleur)
	73 VA (sans régulateur de chaleur)
24 VDC	0,7 A (sans régulateur de chaleur)
	3 A (sans régulateur de chaleur)
Fusible	1,25 A

Accessoires

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



SWM-GY Support applique discret

Pour caméra SD-423

Référence Produit:
2310111004

www.zenitel.com info@zenitel.com Last revision date: 2023-04-18 14:45

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.