zenitel

DATASHEET




1020600305

# VMP-530

Poste principal étanche

## Description

- Conçu pour une utilisation avec les serveurs AMC
- Fixation murale
- Conversation ouverte mains-libres ou privée avec le combiné VMP-211 ou VMP-250
- Haut-parleur externe à prévoir
- Microphone électret intégré garantissant une excellente qualité de voix
- Clavier équipé de larges touches avec touche d'annulation (C) et touche de commande (M)
- Diffusion d'annonces via les appels généraux et groupés
- Fonctionnalité de rappel automatique disponible



www.zenitel.com info@zenitel.com


Last revision date: 2024-05-14 14:37

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

- Les programmes audio peuvent être sélectionnés et reçus
- Bornier à vis optionnel pour faciliter le raccordement des câbles et l'installation du poste

# Technical Dimensions






www.zenitel.com info@zenitel.com Last revision date: 2024-05-14 14:37

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

# Spécifications

| GÉNÉRAL | |
|---|---|
| Alimentation | Alimenté par le serveur |
| Connexions | Câble de 5 m / connecteur à 4 broches |
| Sortie haut-parleur | 1,4 W |
| Impédance du haut-parleur interne | 50 Ohm |
| Fréquence | 500 - 5000 Hz |
| Températures de fonctionnement | De -40°C à +55 °C |
| Matériel | Plastique Bayblend, clavier en PVC traité |
| Couleur | Gris |
| Indice de Protection IP | IP-65 |
| Dimensions (LxHxP) | 124 x 224 x 63 mm |
| Poids | 0,75 kg |

# Accessoires



www.zenitel.com info@zenitel.com Last revision date: 2024-05-14 14:37

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



## VML-1520

Haut-parleur à chambre de compression 15W, 20 OHM, waterproof

Référence Produit: 3006100088




## VMP-211

Combiné mural

Référence Produit: 3006202024




## VMP-250

Combiné waterproof pour poste principal industriel, montage mural

Référence Produit: 1020600700




## VMP-204

Amplificateur de puissance 220 VAC/12 W IN 20

Référence Produit: 3006202023





Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.