zenitel

DATASHEET

2131000206

VLS-15TF

Haut parleur à chambre de compression, 5 W, 100 V avec fusible



IP-66

Description

- Haut-parleur à chambre de compression 15 W destiné à une utilisation générale avec transformateur et fusible
- Particulièrement adapté aux environnement exigeants, notamment industriels
- À utiliser avec un amplificateur de ligne 100 V
- 4 différentes prises de puissance : 2,5 W / 5 W / 10 W / 15 W


Technical Dimensions


www.zenitel.com info@zenitel.com


Last revision date: 2026-06-24 12:36

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.


ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.








Rear View



CONNECTIONS



TECHNICAL DATA

Colour :	Grey (RAL 7035)
IP-Rating :	IP-66
Material:	Speaker - ABS Mounting bracket - Stainless Steel (14SWG)/2mm
Line Voltage:	100V
Rated Power :	15W, 10W, 5W, 2.5W
Weight :	1.9kg

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Spécifications

MÉCANIQUE

Dimensions (LxHxP)	253 x 152 x 309 mm
Matériau, finitions	ABS, gris
Montage	Support de fixation, acier inoxydable type 304
Connexion	1 presse-étoupe M20 et 1 bouchon d'obturation inclus
Poids	1,85 kg
Alimentation nominale	15W rms
Niveau de pression acoustique à 1kHz	106 dB / 1 W / 1 m - 118 dB / 15 W / 1 m
Gamme de fréquence	275 - 7000 Hz
Indice de Protection IP	IP-66
Températures de fonctionnement	De -40°C à +55°C

Accessoires



VLS-GLAND

Cable gland for VLS-15/30

Référence Produit: 2131000207

www.zenitel.com info@zenitel.com Last revision date: 2026-06-24 12:36

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.