zenitel

DATASHEET

2211000620

Poste de base IP DECT

Poste de base IP pour serveurs KWS



Description

Voici les caractéristiques principales de ce poste de base IP DECT :

- Installation rapide et facile
- Alimentation électrique par câble Ethernet ou alimentation externe (non incluse)
- 12 canaux de trafic simultané (32 kbit/s)
- Interopérabilité avec tous les serveurs DECT Spectralink
- Connexion d’une antenne externe pour étendre la couverture
- Couverture du poste de base entre 20 et 200 m

www.zenitel.com info@zenitel.com

Last revision date: 2023-09-13 13:33

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company’s Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Spécifications

GÉNÉRAL	
Dimensions	100 x 100 x 38 mm
Poids	0,12 kg
Température de fonctionnement	Entre -10 °C et 40 °C
Alimentation	PoE ou alimentation externe en option (référence n°2211100225)
Consommation moyenne	2 W
Nombre de canaux vocaux	12
Sortie RF	20 à 24 dBm à la connexion d'antenne
Portée moyenne	Intérieur : 20-50 m
	Extérieur : jusqu'à 300 m

Used With

www.zenitel.com info@zenitel.com Last revision date: 2023-09-13 13:33

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



KWS6500

Serveur IP DECT, 19" 1U,
110-240 VAC

Référence Produit:
2211000150

www.zenitel.com info@zenitel.com Last revision date: 2023-09-13 13:33

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.