zenitel

DATASHEET

2211050105

Poste de base DECT

Poste de base pour KWS2500 et KWS8000



Description

Voici les caractéristiques principales de ce poste de base IP DECT :

- 12 canaux de trafic simultané (32 kbit/s)
- Connexion d'une antenne externe possible pour étendre la couverture si nécessaire
- Interopérabilité avec tous les serveurs DECT Spectralink
- Installation rapide et facile – paire de câble de connexion à deux fils torsadés au Serveur Spectralink DECT (longueur de câble jusqu'à 200 mètres)
- Aucune alimentation externe requise - alimenté directement par le serveur Spectralink DECT.
- Couverture du poste de base entre 20 et 600 m en fonction des interférences et des structures du bâtiment environnant

www.zenitel.com info@zenitel.com

Last revision date: 2023-09-13 13:52

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Spécifications

GÉNÉRAL	
Dimensions (LxHxP)	100 x 100 x 30 mm
Poids	0,11 kg
Température de fonctionnement	De -10 °C à 55 °C
Alimentation	48 VDC, 21 mA (alimentation via serveur)
Consommation moyenne	0,98 W (Max 1,23 W)
Nombre de canaux vocaux	4 (référence n° 2211050105) ou 8 (référence n° 2211050106)
Puissance de transmission moyenne	En moyenne 5 mW/canaux (US), 10 mW/canaux (EU)
Portée moyenne	Intérieur : 20-50 m
	Extérieur : jusqu'à 600 m

OPTIONS COMMANDE	
2211050105	Poste de base DECT, 4 canaux, EMEA
2211050115	Poste de base DECT, 4 canaux, US
2211050106	Poste de base DECT, 8 canaux, EMEA
2211050116	Poste de base DECT, 8 canaux, US

Accessoires

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



KWS-IFC8

Carte interface station de base - 8

Référence Produit: 2211020105

Used With



KWS2500

DECT Rack including base station card, KWS-CPU and software license

Référence Produit: 2211020100



KWS8000

Rack avec alimentation et câble

Référence Produit: 2211020106

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.