



3006206034

VHM-10

Module spécialement pour pont

Description

- ⊘ Poste secondaire Talk-back pour une utilisation sur le pont
- Fixation murale
- Bouton d'appel
- Microphone à main
- Possibilité de connecter un haut-parleur externe


Technical Dimensions


www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.





www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Spécifications

GÉNÉRAL

Matériau	Polycarbonate (Boîtier)
Couleur	Gris (Boîtier)
Dimensions (LxHxP)	215 x 310 x 160 mm
Indice de Protection IP	IP-66
Poids	2,5 kg
Microphone :	
Couleur	Noir
Résistance DC	200 Ohm
Sensibilité du microphone	0,5 mV/dyne/cm2 à 1 kHz
Capacité de puissance	0,2 W (0,5 W max)
Sensibilité du haut- parleur	57 dB/mW à 1 kHz et 50 cm de distance / Puissance de fréquence audio : 80 dB à 0,2 W
Dimensions	54 x 81 x 54
Températures de fonctionnement	De -30°C à +60 °C
Poids	2,5 kg

page 3/3

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.