zenitel

DATASHEET

1020600943

VSP-223-L

Poste principal - Système de téléphone autogénérateur - 12 directions



IP44

Description

- 12 directions
- Relais intégré avec verrou minuteur pour l'activation d'appareils de signalisation sonore ou visuelle externes 24 VDC
- Bouton d'arrêt de l'alarme
- Microphone à compensation de bruit
- LED de notification d'appel sur la face avant en option (en plus de la sonnerie)
- Montage encastré
- Montage mural avec armoire en métal de type MBOKS
- Montage sur bureau avec console en bois de type VSPK
- Adapté à une utilisation dans la salle de contrôle ou dans les environnements bruyants, par exemple la salle des machines

Le téléphone autogénérateur VSP-223-L ne nécessite pas d'alimentation externe et remplit les exigences de communication cruciale entres positions vitales. Cette unité a été testée et approuvée pour la communication interne sur les navires.

Technical Dimensions

www.zenitel.com info@zenitel.com

Last revision date: 2026-05-12 08:23

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

www.zenitel.com info@zenitel.com Last revision date: 2026-05-12 08:23

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Spécifications

GÉNÉRAL	
Connexions	Borniers à vis
Couleur	Noir
Indice de Protection IP	IP-44
Dimensions (LxHxP)	238 x 130 x 77 mm
Découpes d'encastrement	205 x 105 mm
Poids	1,30 kg

Accessoires



VM-0411

Capot de protection pour téléphones autogénérateurs

Référence Produit: 3006090492



MBOKS-G

VSP Batteryless Telephone System

Référence Produit: 3006090578



VSPK

Console en bois

Référence Produit: 3006200062



VSP-36-PEL-A

Headset with boom mic, headband, and 10m cable

Référence Produit: 1020600771



VSP-36-PEL-A/20

Headset with boom mic, headband, and 20m cable

Référence Produit: 1020600772



CD-4

Boîtier de raccordement waterproof

Référence Produit: 1020159000



VSP-36-PELP-A

Headset with boom mic, headband, and 10m cable

Référence Produit: 1020600773



VSP-36-PELP-A/20

Headset with boom mic, headband, and 20m cable

Référence Produit: 1020600774

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



IRR-24

Relay Box

Référence Produit: 3006202045



IRR-VSP-220

Relay box 220V AC for VSP-12 way

Référence Produit: 1020600995

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.