zenitel

DATASHEET

2310101077

SHU60B

Caméra couleur sous-marine Seahawk, 12/24 VAC, 60 degrés, IP-68



IP-67

Description

- Capteur 960H très haute définition
- Plage dynamique étendue pour voir les détails clairs et sombres simultanément
- Communication bidirectionnelle Bilinx pour le contrôle de la caméra à distance
- Capteur d'images 960H, 1/3” DS CCD, résolution du capteur 720 lignes de télévision, double obturateur
- Couleur 0,09 lux
- Noir et blanc 0,04 lux
- Consommation 360mA (12 VDC) 330mA (24 VAC)
- Connecteur sous-marin et pigtail inclus


Technical Dimensions

www.zenitel.com info@zenitel.com

Last revision date: 2023-09-15 13:15

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company’s Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Spécifications

GÉNÉRAL	
Dimensions (Longueur avec support de fixation)	360 mm
Poids	2,7 kg

Accessoires



VR1T Power Converter
24VDC/AC to 12VDC/1A

Power Converter

Référence Produit: 2310102077

Used With



VR1T Power Converter
24VDC/AC to 12VDC/1A

Power Converter

Référence Produit: 2310102077

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.