



1008140330

TA-33

Boîtier applique pour Turbine Etendu

Boîtier applique pour Turbine TEIV+






Description

Boitier applique en aluminium moulé

Technical Dimensions

120

page 1/5



page 2/5

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.



page 3/5

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

Spécifications

MECANIQUE

Dimensions (LxHxP):	120 x 305 x 62mm
Poids:	1.05kg
Indice de protection	IP-66, testé suivant la norme EN 60529
Indice de protection IK	IK 10, testé suivant la norme EN 62262
Matériau	Alliage d'aluminium - AlSi12 (EN AB- 44200,DIN230), peint
Finition	IGP-DURA®pol 681T, Gris RAL 9007. Couleurs personnalisées possibles*
	*Veuillez contacter notre bureau de vente local pour plus de détails.

Used With

page 4/5



TEIV-4+ Interphone avec espace pour lecteur

Turbine Etendu IP Vidéo avec espace pour lecteur de carte RFID



TEIV-1+ Interphone à clavier

Turbine Etendu IP Vidéo avec clavier et afficheur