zenitel

DATASHEET



2810010102

Clone of Clone of CAB15F

Baie 15U, 19", châssis fixe de 610 x 965 x 630 mm, IP-22

Description

Notre nouvelle gamme de baies multifonctions a été conçue pour être utilisée par la Marine. Ces baies conviennent parfaitement à l'installation de composants d'un système afin de créer un système complet.

L'armoire de 15U mesure 60 cm de large et 60 cm de profondeur avec un châssis fixe de 19 pouces pour jusqu'à 15U. Elle inclut un rail DIN sur la partie inférieure et peut accueillir des modules de redondance optionnels. Elle est équipée d'un système de ventilation.

Cette armoire convient à :

- Radio
- LAN
- Vidéosurveillance
- TV IP
- DECT
- Recherche de personnes
- Horloges maîtres

www.zenitel.com info@zenitel.com Last revision date: 2025-07-14 14:34

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Technical Dimensions

www.zenitel.com info@zenitel.com Last revision date: 2025-07-14 14:34

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Spécifications

GÉNÉRAL

Dimensions (LxHxP)	610 x 965 x 630 mm
Couleur	RAL 7035
Matériau	Acier
Indice de Protection IP	IP-22
Montage	Au sol
Entrée de câble	Partie inférieure (disponible sur la partie supérieure sur demande)

www.zenitel.com info@zenitel.com Last revision date: 2025-07-14 14:34

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.