zenitel

DATASHEET

2340110040

Clone of SPA-AC6

Panneau d'alarme simple



Description

- Panneau d'alarme pour système unique
- Déclenchement d'alarmes d'abandon, générales et manuelles
- Bouton de réinitialisation d'alarme
- Étiquette remplaçable pour chaque bouton
- Bouton d'alarme séparé pour les messages de sonorisation
- Clapet de protection des boutons transparent
- A utiliser avec le panneau SPA-M6
- Montage encastré, un boîtier est disponible pour le montage en applique

www.zenitel.com info@zenitel.com


Last revision date: 2023-09-15 11:46

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Le panneau d'alarme déclenche trois alarmes et les messages de sonorisation dans un système de sonorisation et d'alarme générale SPA-V2 unique. Ce panneau d'alarme s'utilise avec des panneaux de sonorisation. Il convient parfaitement à un montage en console et une utilisation en intérieur.

Technical Dimensions



Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Spécifications

GÉNÉRAL

Dimensions (LxHxP)	96 x 144 x 82
Poids	0,4 kg
Matériau	Aluminium anodisé noir
Montage	Encastré, en applique avec boîtier
Connexions	Borniers à vis enfichables pour câbles de 2,5 mm2
Presse-étoupes	2 x PG-16
Câbles requis	6 x 2 x 0,75 mm2
Indice de Protection IP	IP-44

www.zenitel.com info@zenitel.com Last revision date: 2023-09-15 11:46

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.