

1008150030

TAX-3

EX Handset



- ✓ Rugged handset for EX application
- ✓ PTT-key for simplex operation in extremely noisy environments
- ✓ Noise-cancelling microphone
- ✓ High quality digital background noise reduction*
- ✓ HD-voice compatible*
- ✓ IP Rating: IP66
- ✓ Designed for Exigo & Turbine EX explosion-proof intercoms

*when used with Turbine Industrial Ex intercoms



ICX-AlphaCom



Exigo




IP66

Description

The TAX-3 EX Approved Industrial Handset for Exigo and Turbine EX intercoms is a rugged, high quality handset designed for industrial and military use. The slim profile offers ease-of-use in hard-hat areas as it slips under helmets and/or hearing protection.

The TAX-3 offers a side-mounted PTT for simplex operation in extremely noisy environments. Used with Exigo & Turbine Ex intercom stations, the active noise-reduction features offer superlative audio quality and intelligibility. A hanger is included with the delivery.

Technical Dimensions



Specifications

MECHANICAL

| | |
|--------------------|---------------------------------------|
| Dimensions (WxDxH) | 200 x 70 x 50 mm |
| Weight | 310 g |
| Cable Length | 1.0 m (contracted) / 3.5 m (extended) |

ENVIRONMENTAL

| | |
|-------------------------|----------------|
| Operational Temperature | -40°C to +60°C |
| Ingress Protection (IP) | IP66 |

ACOUSTICAL

| | |
|--------------------|---------------|
| Frequency Response | 200 - 7000 Hz |
|--------------------|---------------|

CERTIFICATIONS

| | |
|--------------------------|---|
| CENELEC safety standards | EN 60079-0: 2012, EN 60079-11: 2012 |
| IEC safety standards | IEC 60079-0: 2011, IEC 60079-11: 2011 |
| Marking | II 2G Ex ib IIC T4 Gb, - 20°C ≤ Ta ≤ +60°C |
| ATEX certificate | Presafe 14 ATEX 5209X |
| IECEx certificate | IECEx PRE 14.0029X |

Used With



TFIX-1-V2

Ex IP Intercom Station- full keypad



TFIX-2-V2

Ex IP Intercom Station with 6 buttons



TFIX-3-V2

Ex IP Intercom Station with 3 buttons



TFIX-4

Ex IP Telephone