zenitel

DATASHEET

1008140225

TA-22B

Industrial Plugbox & Cable for Headset with PTT



- 10m cable
- Compact, rugged plugbox with PTT for Industrial application
- IP Rating: IP67
- For use with AK5850HS Headset
- Low smoke and halogen free cable
- Designed for Turbine Industrial intercoms

ICX-AlphaCom Exigo IP67

Description

The TA-22B Cable and Plugbox complements the AK5850HS Headset in offering a long-range (10 meters), robust, pluggable solution meeting industrial headset requirements. Once connected with the AK5850HS, the plugbox offers a water- and dust-tight connection (IP67) as well as an easy-to-reach PTT button.


Any headset using a standard Nexus 4-pole connection is compatible with the TA-22B (applies to dynamic microphone only - please observe impedances and microphone sensitivities).


Technical Dimensions

www.zenitel.com info@zenitel.com Last revision date: 2026-02-12 13:48

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.





Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.


ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

www.zenitel.com info@zenitel.com Last revision date: 2026-02-12 13:48

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

GENERAL	
Cable Length	10 meters
Operational Temperature	-40°C to +60°C
Ingress Protection (IP)	IP67 (once connected)

Accessories



Headset Stowage Bracket

Headset stowage Bracket for Wall mounting

Item Number: 3006090494

Used With



TFIE-1

IP and SIP Intercom

Item Number: 1008122010



TFIE-2

IP and SIP Intercom

Item Number: 1008122020



EAPII-1

Exigo Industrial Access Panel, 1 Button

Item Number: 1023201201



EAPII-6

Exigo Industrial Access Panel, 6 Buttons

Item Number: 1023201206

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



TFIE-6

IP and SIP Intercom

Item Number: 1008122060

www.zenitel.com info@zenitel.com Last revision date: 2026-02-12 13:48

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.