

3007250003

## Bi-Way Starter Kit



### Description

- ✓ Handsfree loudspeaking communication
- ✓ Personal service
- ✓ Designed for one-on-one communication
- ✓ Can be placed on the desk or integrated as a part of an operator console

The Bi-Way intercom system is designed for efficient handsfree loudspeaking communication between counter personnel and the public through security glass and specially built counters to provide protection from violence and vandalism as well as noise and health problems for those handling money or working in restricted areas. The Bi-Way system enables counter personnel to give their customers personal service while maintaining security and hygiene.

The Bi-Way system is designed to cater for one-to-one communication where fast and secure communication is in demand. A number of applications are supported through the flexible and universal design. Typical applications are

bank counters, post office counters, railway ticket counters, gates as well as in hospitals. The operator's unit may be placed on the desk or integrated as a part of an operator console through the optional flush mount frame. The operator has a choice of microphones: handsfree communication through the built-in microphone, an optional gooseneck microphone installed on the operator's unit for extreme noise conditions or, as an alternative, an external microphone as well as a headset with microphone.

# Specifications

## GENERAL

|                                   |                        |
|-----------------------------------|------------------------|
| Dimensions                        | 93 x 65 x 224 mm       |
| Weight                            | 350 g                  |
| Environmental conditions          | T1                     |
| Supply voltage max./min.          | 12.5/11.5 V DC         |
| Current consumption max./min.     | 180/42 mA              |
| Output power, public side, max.   | 500 mw                 |
| Output power, operator's unit     | 350 mw                 |
| 3007250006 External microphone    | 42 x 24 x 12 mm        |
| 3007250007 Bi-Way loudspeaker kit | 105 x 106 x 62 mm each |
| Dimensions (one cabinet)          | 105 x 106 x 72 mm      |
| Weight (two cabinets)             | 0.37 kg                |
| Cabinet                           | ABS, plastic           |
| Impedance                         | 50 ohm                 |
| Power capacity                    | 2 W max.               |