

2211020100

## KWS2500

DECT Rack including base station card, KWS-CPU and software license



---

## Description

The DECT Server 2500 is ideal for small and medium-sized businesses that want a cost-effective, modular and future-proof DECT wireless mobility solution. It is a flexible add-on solution that can be configured and deployed to match exact business needs.

- ✓ Analog system, Power, data and synchronization for base stations on only 2 wires
- ✓ SIP (G711u law) 32 simultaneous calls or Analog (8 or 16 lines cards) integration to PABX
- ✓ Supports messaging with an alarm server
- ✓ Supports up to 16 base stations
- ✓ 4 card slots (1 dedicated for processor card) – office, rough and Ex
- ✓ 110-240VAC External power - Included
- ✓ Up to 30 users with no extra license (up to 150 users with extra license)
- ✓ 1 Year Software License for 30 users - Included

Note: 2211020100 includes item 2211020143 (IP DECT Server KWS2500) and 2211020139 (Software Assurance License for 1 year)

# Specifications

## GENERAL

Size (WxHxD) 177 x 194 x 328 mm

Weight 1,16 kg

## ACCESSORIES

2211100226 Spare power supply for DECT server KWS2500

2211020103 Analog Interface Card 16 lines

2211020104 Analog Interface Card 8 lines

2211020108 CPU Card for KWS without link option

## Accessories



### KWS-AIC16

Analog Interface Card 16 lines

Item Number: 2211020103



### KWS-AIC8

Analog Interface Card 8 lines

Item Number: 2211020104



### KWS-CPU

CPU Card for KWS without link option

Item Number: 2211020108



### KWS-CPUL

CPU Card for KWS with link option

Item Number: 2211020107

## Used With



### DECT Base Station

Base station 4ch for KWS2500 and  
KWS8000

Item Number: 2211050105