zenitel

DATASHEET

2320005042

RII MINI 12 Keyboard

RII MINI 12 Keyboard Android Mini Wireless Keyboard with Touchpad



Description

The RII Mini 12 is the world's thinnest 2.4GHz wireless keyboard with touchpad. Due to its size of 26 inches and a trackpad of 3.5 inches, it is ideal for use on the bench. With its high-quality brushed stainless steel housing the RII Mini 12 is a delight to the eye. It can also be used with any PC, but it is optimized for the Android system. The RII Mini 12 is the ideal device for anyone using an Android-based STB for:

- Skype
- Facebook
- Gmail
- Web Browsing

It can also be used with other applications where a lot of typing is needed. The RII Mini 12 keyboard has much larger keys than the usual fly mouse, making it easier and faster to type. The trackpad is very user-friendly, just like on a laptop. The RII Mini 12 has a range of 10 meters, which is more than enough for the average cabin. The wireless receiver is plug-and-play, meaning that no installation of drivers is required. Connecting the receiver is enough to connect the keyboard. With its rechargeable 280mAh battery and a standby time of one month, it takes a long time between recharging. The RII Mini 12 is only 10mm thick, providing all the benefits of a full keyboard in a much more compact design. Blue accents on the keyboard and the nicely finished stainless steel housing make the RII Mini 12 a very well-designed and aesthetic-looking keyboard.

www.zenitel.com info@zenitel.com

Last revision date: 2022-08-26 09:28

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

www.zenitel.com info@zenitel.com Last revision date: 2022-08-26 09:28

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

SPECIFICATION	
Supporting system:	Windows 2000/XP/Vista/7/8/10, Linux (Debian-3.1, Redhat-9.0 Ubuntu-8.10 Fedora-7.0 tested), Android OS (With standard USB interface)
Receiver (dongle):	Nano style
RF mode:	2.4Ghz GFSK
Transmission distance:	Up to 10 meters
Transmission power:	Less than +4db
Power supply:	Rechargeable 450mAh polymer Lithium-ion battery
Charging voltage:	4.4V ~ 5.25V
Charging current:	300mA
Sleeping Current:	0.8mA
Operation Voltage:	3.3V
Material:	ABS + PC + Aluminium alloy
Color:	Black & Silver
Product Size:	260 x 83 x 13.5mm
Product weight:	205 g

www.zenitel.com info@zenitel.com Last revision date: 2022-08-26 09:28

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.