zenitel

DATASHEET

3006100090

VML-15TF

Horn Loudspeaker 15W 100V with Fuse

DISCONTINUED

THIS ITEM IS REPLACED BY 2131000206 - VLS-15TF



IP67

Description

- General purpose 15W horn loudspeaker with transformer and fuse
- Especially suitable for use in industrial sites
- To be used together with 100V line amplifier
- With 4 different power tappings: 2.5W, 5W, 10W and 15W

www.zenitel.com info@zenitel.com

Last revision date: 2022-08-26 09:27

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Technical Dimensions

www.zenitel.com info@zenitel.com Last revision date: 2022-08-26 09:27

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

MECHANICAL

Dimension (mm)	250W x 145H x 298D
Material, finish	ABS, grey
Mounting	Bracket, stainless steel graade 304
Termination	Cable 2.5 m
Weight	2.0 kg
Rated power	15W rms
SPL at 1kHz	106dB/1W/1m - 118dB/15W/1 m
Effective frequency range	275 - 7000 Hz
IP-class	IP-67
Temperature range	-40 ∘C - +55 ∘C

www.zenitel.com info@zenitel.com Last revision date: 2022-08-26 09:27

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.