

2220050012

INJKIT-PSU

8 port switch w/6 ports PoE injector including power supply



Description

PoE injector kit consisting of:

- ✓ 8 port DIN mount industrial switch
- ✓ 6 port PoE injector
- ✓ 230Vac to 48Vdc power supply
- ✓ Patch cables
- ✓ Pre-made power cable for injector
- ✓ Spare fuses (2 pcs.)

Specifications

SWITCH BERNT TEST

Ports	8
Power supply	24 / 48 Vdc
Current (24 / 48 Vdc)	85 / 46 mA
Operating temperature, min.	-40 °C
Operating temperature, max.	+70 °C
Storage temperature, min.	-40 °C
Storage temperature, max.	85 °C
Net weight	553 g
Size (WxHxD)	25 x 142 x 107,5 mm
Degree of protection	IP30

INJECTOR

Ports	6
Input voltage	48-56 Vdc
Output protection	500 mA fast blow
Operating temperature	-15 °C to + 55 °C
Net weight	150 g
Size (WxHxD)	56 x 132 x 42 mm
Degree of protection	IP20

POWER SUPPLY

Input	100 - 240 Vac
Input fuse value	1,3 A
Output	48 ~ 56 Vdc
Current max	2 A
Size (WxHxD)	55 x 90 x 100 mm

Used With



ECPIR-P

Exigo Call Panel, PTT Button



ECPIR-3P

Exigo Access Panel / Turbine Intercom



EAPIR-8

EXIGO Alarm Panel, 8 buttons



EAPII-1

Exigo Industrial Access Panel, 1 Button



EAPII-6

Exigo Industrial Access Panel, 6 Buttons