

2220012179

C2911/DNV

Cisco 2911 Integrated Service Router Kit - IEC60945 Compliant



Description

Cisco 2900 Series Integrated Services Routers offer embedded hardware encryption acceleration, voice- and video-capable digital signal processor (DSP) slots, optional firewall, intrusion prevention, call processing, voicemail, and application services. In addition, the platforms support the industries widest range of wired and wireless connectivity options such as T1/E1, T3/E3, xDSL, copper and fiber GE.

Cisco IOS® Software Universal image is installed on each ISR G2. The Universal image contains all of the Cisco IOS technology sets which can be activated with a software license. This allows your business to quickly deploy advanced features without downloading a new IOS image. Additionally, larger default memory is included to support the new capabilities.

IEC60945 Compliant, DNV Type approved for EXIGO and ACM systems

Specifications

Includes AC filter, 1-phase, 3A, 250VAC, Din-Rail Mount

ENVIRONMENT

Operating temperature	32 to 104°F (0 to 40°C)
Operating relative humidity	5% to 85% noncondensing

ELECTRICAL CHARACTERISTICS

Frequency	47 to 63 Hz
Maximum heat dissipation	716.55 BTU/hr
AC voltage	100 / 240 VAC
Current	2.2 / 1.0 A
Maximum power rating	210 W

DIMENSIONS & WEIGHT

Dimensions (W x D x H)	438.2 x 304.8 x 88.9 mm
Weight	8.2 kg
Mounting	Rack Mountable, 2HU

Accessories



VVIC3-1MFT-T1/E1

Cisco 1-Port T1/E1 Multiflex Trunk Voice/WAN Interface Crd



VIC2-2BRI-NT/TE

Cisco Two-port Voice Interface Card - BRI (NT and TE)



VIC2-4FXO

Cisco Four-Port Voice Interface Card - FXO (VIC2-4FXO)



VIC3-4FXS/DID

Cisco Four Port Voice Interface Card - FXS and DID



EHWIC-3G-HSPA+7

Cisco 3G HSPA+7 with GPS based MC8705




EHWIC-4G-LTE-G

Cisco 4G LTE EHWIC for Global 800/900/1800/2100/2600 MHz




PVDM3-16U32

Cisco PVDM3-16U32 16 to 32-channel factory upgrade




SL-29-DATA-K9

Cisco Data License for Cisco 2901-2951




SL-29-UC-K9

Cisco Unified Communications License for Cisco 2901-2951




SL-29-SEC-K9

Cisco Security License for Cisco 2901-2951




FL-CUBEE-5

Cisco Unified Border Element Enterprise License - 5 sessions



FL-CME-SRST-5

CISCO Communication Manager Express or SRST-5 seat license



FL-CME-SRST-25

CISCO Communication Manager Express or SRST-25 seat license

Used With

DISCONTINUED



2960+24PC-L/IEC60945

Cisco Catalyst 2960+24PC-L
Ethernet Switch Kit - IEC60945
Compliant