

2131000206

VLS-15TF

Horn Loudspeaker 15W 100V with Fuse






- ✓ Robust and versatile horn speaker
- ✓ Suitable for outdoor installation in harsh environments
- ✓ Prepared for loop in/ loop out connection
- ✓ 1x M20 gland and 1x blind plug included

 IP66


Description

- ✓ General purpose 15W horn loudspeaker with transformer and fuse
- ✓ Especially suitable for use in industrial sites or tough environments
- ✓ To be used together with 100V line amplifier
- ✓ With 4 different power tapings: 2.5W, 5W, 10W and 15W


Technical Dimensions



Rear View



CONNECTIONS



TECHNICAL DATA

Colour :	Grey (RAL 7035)
IP-Rating :	IP-66
Material :	Speaker - ABS Mounting bracket - Stainless Steel (14SWG)2mm
Line Voltage :	100V
Rated Power :	15W, 10W, 5W, 2.5W
Weight :	1.9kg

Specifications

GENERAL

Dimension (mm)	253W x 152H x 309D
Material, finish	ABS, grey
Mounting	Bracket, stainless steel grade 304
Connection	1x M20 gland and 1x blind plug included
M20 Cable Gland Sealing Range	8.5 - 12mm
Weight	1,85 kg
Rated power	15W rms
SPL at 1kHz	106dB/1W/1m - 118dB/15W/1 m
Effective frequency range	275 - 7000 Hz
Dispersion angle	60° x 90° (V x H)
IP rating	IP66
Temperature range	-40 °C - +55 °C
Power tapings	15/ 10/ 5/ 2.5 W
Impedance	670/ 1k/ 2k/ 4kΩ
Environmental Condition	Exposed

OTHER

2131000207	Additional M20 cable gland for VLS-15(TF)/VLS-30(TF). Not included and not mounted.
------------	---

Accessories



VLS-GLAND

Cable gland for VLS-15/30

Item Number: 2131000207