zenitel

DATASHEET

1020600315

VMP-503

Main Station With Loudspeaker



Description

- Designed for use with ACM exchanges and for wall mounting.
- Handsfree open conversation or private when used with Handset VMP-211 or VMP-250.
- Built-in loudspeaker
- Built-in electret microphone gives clear sound
- Keyboard with large digits
- C-key for cancelling calls
- M-key for manual switching of speech direction (simplex).
- Voice operating duplex speech.


www.zenitel.com info@zenitel.com Last revision date: 2024-05-14 14:36

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

- Public Address messages via General Call and Group
- Calls with automatic answer back, are available
- Audio Programmes can individually be selected and received.
- Screw terminals for easy connection of Installation cables and optional

Technical Dimensions



Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

GENERAL	
Operation voltage	Powered from exchange
Cable requirements	Twisted 2 pairs 0.5mm2 outer screen
Connections	Screw terminals
Loudspeaker Output	1.4 W
Internal Loudspeaker impedance	63 ohm
Frequency range	300 - 5000 Hz
Temperature range	-40°C to +55°C
Mic. Impedance for external handset	200 - 600 ohm
Material	Bayblend plastic Membrane keyboard foil of cured PVC
Colour	Grey
IP- class	IP-65
Dimensions (mm)	124W x 224H x 63D
Weight	0,75 kg

Accessories

www.zenitel.com info@zenitel.com Last revision date: 2024-05-14 14:36

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



VMP-211

Wall Mounted Handset

Item Number: 3006202024



VMP-250

Wall Mounted Handset
Waterproof

Item Number: 1020600700

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.