

1020603700

VMP-430

Main Station for Flush Mounting



Description

- ✓ Designed to be used together with ACM exchanges and made for flush mounting.
- ✓ A fully-equipped main station with free access to all extensions and features.
- ✓ Handsfree open conversation or private by use of optional handset VMP-221.
- ✓ Built-in loudspeaker w/ volume control
- ✓ Built-in electret microphone gives clear sound
- ✓ Keyboard with large illuminated digits w/ dimmer
- ✓ Four (4) Direct Access keys for easy calling your most frequently used extensions or features, all by a single key press. The Direct Access keys are user programmable.
- ✓ C-key for cancelling calls
- ✓ M-key for manual switching of speech direction (simplex).

- ✓ Voice operating duplex speech. Full duplex when connected with handset VMP-221
- ✓ Public Address messages via General Call and Group Calls with automatic answer back, are available
- ✓ Audio Programmes can individually be selected and received.
- ✓ Screw terminals for easy connection of installation cables and optional

Technical Dimensions

□

page 2/3

Specifications

ORDER NUMBER	DESCRIPTION	SHIP WEIGHT
1020603700	VMP-430 Main station with illuminated buttons and 4x direct access keys	0.65 kg
Related items		
3006202025	VMP-221 Handset for VMP-430	0.65 kg

GENERAL

Operation voltage	Powered from exchange
Cable requirements	Twisted 2 pairs 0.5mm ² outer screen
Connections	Screw terminals
Loudspeaker Output	1.0 W (63 ohm)
Internal Loudspeaker impedance	63 ohm
Frequency range	300 - 5000 Hz
Operating temperature	5 - 55 °C
Mic. Impedance for external handset	200 - 600 ohm
Material	Bayblend plastic Membrane keyboard foil of cured PVC
Colour	Black
IP- class	IP-44
Dimensions (mm)	125W x 280H x 35D
Weight	0,65 kg

page 3/3