

3005010160

SPA-M6S-D

PA Panel Dual W/6 Zones, All Call, Dimmer-Flush With Gooseneck Mic

THIS ITEM IS REPLACED BY [2340110021 - SPA-M6-D](#)





Description

- ✓ PA-panel for dual system
- ✓ Delivered with gooseneck microphone
- ✓ Built-in pre-amplifier with preset signal level and tone controls
- ✓ 6 zone selection buttons
- ✓ ALL, TALK and dimmer buttons.
- ✓ Replaceable text label to each zone button
- ✓ Zone buttons have activation confirmation light
- ✓ Flush mounting, back box for wall mounting is available
- ✓ Local mute contact for external loudspeaker (From hardware version 4.0)

This Vingtor-Stentofon Panel gives messages in one to six zones in a SPA-V2 public address and general alarm dual system. Installation in consoles or on-wall indoor.

Local mute function is used to break audio to loudspeakers where proximity to pa panel cause feedback. Available from hardware version 4.0. This function must be in combination with relay box.

Technical Dimensions




Related item:
 Wall mounting box
 SPA-M6BOKS
 O.No. 3005010155

Specifications

GÉNÉRAL

Dimensions (LxHxP)	144 x 144 x 82 mm
Poids avec microphone	0,6 kg
Matériau	Aluminium anodisé noir
Montage	Encastré, en applique avec boîtier
Signal de sortie	0,775 mV, 0 dB
Sensibilité du microphone	2 K / 4 mV
Connexions	Borniers à vis enfichables pour câble de 2,5 mm ²

Accessories



SPA-M6BOKS

Wall-mount box for SPA-M1/M6 and VM15/50-RD panels



IRR-3

Relay Box