

2131000137

BSWT-6T

On-wall speaker, 100V, IP65, 6W



✓ Please note that this product has been replaced by Item Number: 2131000151

Description


- ✓ Made for marine environment
- ✓ Good audio quality
- ✓ Corrosion-free plastic enclosure
- ✓ Cable entry in the bottom or from the back
- ✓ An integrated gasket enables watertight mounting without cable glands when using the rear cable entry
- ✓ Adjustable power tapping to accommodate separate room sizes
- ✓ Supports loop wiring with double cable entries
- ✓ Includes thermal fuse, ceramic terminals and transformer for 100V lines

The Vingtor-Stentofon on-wall watertight speaker BSWT-6T is made for demanding environments. The speaker is well suited for marine usage with water ingress protection from all sides.

Using both cable entries facilitates loop-wiring and reduces the need for costly junction boxes.

Please note that this product has been replaced by Item Number: 2131000151

Technical Dimensions



Specifications

GENERAL

| | |
|-----------------------------|--|
| Dimensions (HxWxD) | 133 x 133 x 70,5 mm |
| Woofer size | 3" |
| Mounting | Screw Mount |
| IP rating | IP65 |
| Operating temperature range | -20 ~ + 70 |
| Rated Power | 6W |
| Max Power | 10W |
| Power tapings | 6-3-1.5W |
| Sensitivity SPL 1W / 1m | 89dB |
| Sensitivity Max SPL, 1m | 97dB |
| Rated Voltage | 100V |
| Frequency range | 150 ~ 16 KHZ |
| Termination | Ceramic Terminal Block With thermal fuse |
| Color | White RAL 9010 |
| Weight | 0.68 kg |
| Environmental Condition | Protected |