



# <sup>2810010092</sup> CAB8K24F

Cabinet floor 19" 24 HU 600x1310x660 mm IP-20

This cabinet has been replaced with CAB24-TX-600

## Description This cabinet has been replaced with CAB24-TX-600

Our all new series of multi use cabinet are designet to be used in an marine environment. Perfect to install our 19" system components to create a complete system for your installation.

Cabinet is fully configured with internal 19 inch fixed frame 24 HU, base, ground bar, ground wiring and mounting plate prepared for a power module or aux terminals.

This cabinet is suitable for:

Radio

- 🕗 LAN
- 🕗 CCTV
- 🕗 IPTV

#### page 1/3

#### www.zenitel.com

#### info@zenitel.com


Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.


ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

- O DECT
- Paging
- Masterclock

## **Technical Dimensions**







415





### page 2/3

#### www.zenitel.com

#### info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

### Specifications

### GENERAL

Dimensions (WxHxD)	610x1310x660 mm
Color	RAL 7035
Material	Steel
Ingress grade	IP-20
Mounting	Floor mounted
Cable inlet	Top or bottom

#### www.zenitel.com

#### info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.