

2320005018

IPTV Server 8000 v2

IPTV Server 8000 v2 with configuration, 8x DVB-S/S2/T/T2/C+8x CI slots, v2



- ✓ All-in-one IPTV solution for small to medium size installations
- ✓ All systems integrated
- ✓ High density
- ✓ Easy and intuitive userinterface
- ✓ 3D and 4K UHD support
- ✓ Customizable themes
- ✓ Optional Interface to Property Management Systems (PMS)

Description

IPTV Server 8000 v2 is an all-in-one solution designed to provide IPTV and VoD in deployments of up to 1000 users. This device includes middleware capable of handling up to 1000 IP set-top boxes, DVB to IP gateway with 8 DVB-S/S2/T/T2/C/C2 inputs and 8 Common Interface (CI) slots, VoD server for 50 concurrent streams with 1 TB of SSD space for video content storage, and IPTV Billing system, all ready installed and integrated.

Specifications

PHYSICAL & POWER

| | |
|------------------------|----------------------|
| Mounting | Rack Mountable, 1HU |
| Weight | 6,5 Kg |
| Dimension (W x H x D) | 440 x 44 x 410 mm |
| Power supply | 90-264 VAC, 47-63 Hz |
| Max. Power consumption | 175W |
| IP rating | IP20 |

ENVIRONMENTAL DATA

| | |
|-----------------------|------------------------|
| Operating Temperature | 0~40°C |
| Storage Temperature | -20~70°C |
| Humidity | 10 ~ 90% noncondensing |

PERFORMANCE

| | |
|---------|--|
| CPU | Intel® Core™2 Quad Processor Q9400 6M Cache, 2.66 GHz, 1333 MHz FSB |
| Memory | 16 GB DDR4 |
| Storage | 2 TB SSD for multimedia content and database (enough to store over 800 full-length movies) |

MEDIA CONTENT FORMAT

| | |
|----------------------|--|
| Video formats | MPEG-2, H.264 (MPEG-4 AVC) transport stream |
| Recommended bit rate | 4 Mb/s and more |
| Definition | SD, HD, FullHD, UHD |

Accessories



MyTV License

MyTV License for IPTV



Transcoder Add On

Transcoder Add On License and Software



Alarm Input Interface Module with PSU for IPTV

Alarm interface module with PSU for IPTV



PowerCam Profesional CAM

PowerCam Profesional CAM