



2310120202

## CE-NVR-32/16

Network video recorder, 32 ch. 16HDD slots

- ✓ 32-ch Network Video Recorder
- ✓ Dual-OS design for redundancy
- ✓ Slots for up to 16 HDDs
- ✓ Supports 4K resolution

### Description

- ✓ Dual-OS design to ensure high reliability of system running
  - ✓ ANR technology to enhance the storage reliability when the network is disconnected
  - ✓ HDD hot swap with RAID0, RAID1, RAID5, RAID6 and RAID10 storage scheme configurable
  - ✓ Either Normal or Hot Spare working mode is configurable to constitute an N+1 hot spare system
- HD Input**
- ✓ H.265/H.264+/H.264/MPEG4 video formats
  - ✓ Connectable to the third-party network cameras
  - ✓ Up to 64 IP cameras can be connected
  - ✓ Recording at up to 12 MP resolution
  - ✓ Supports live view, storage, and playback of the connected camera at up to 12 MP resolution
- HD Output**

- ✓ HDMI1/VGA1 and HDMI2/VGA2 outputs provided
  - ✓ HDMI1 Video output at up to 4K (3840 × 2160) resolution
- HD Storage**

- ✓ Up to 16 SATA interfaces and 1 eSATA interface connectable for recording and backup
  - ✓ Storage space effectively saved by 50% to 70% with the use of H.264+ decoding format
- HD Transmission**

- ✓ 2 self-adaptive 10M/100M/1000M network interfaces, and two working modes are configurable: multi-address and network fault tolerance

### **Various Applications**

- ✓ Centralized management of IP cameras, including configuration, information import/export, real-time information display, two-way audio, upgrade, etc.
- ✓ Connectable to smart IP cameras from VINGTOR-STENTOFON and the recording, playing back, and backing up of VCA alarms can be realized
- ✓ VCA detection alarm is supported
- ✓ Instant playback for assigned channel during multi-channel display mode
- ✓ Smart search for the selected area in the video; and smart playback to improve the playback efficiency
- ✓ Supports HDD quota and group modes; different capacity can be assigned to different channels

# Specifications

## VIDEO / AUDIO INPUT

---

IP video input:	16-ch, Up to 12 MP resolution
Incoming bandwidth	320 Mbps
Outgoing bandwidth	256 Mbps, or 200 Mbps (when RAID is enabled)

---

## VIDEO / AUDIO OUTPUT

---

VGA1 / HDM1 output resolution	HDMI1: 4K (3840 × 2160)/60Hz, 4K (3840 × 2160)/30Hz, 2K (2560 × 1440)/60Hz, 1920 × 1080/60Hz, 1600 × 1200/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz HDMI2: 1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz
VGA2 / HDMI2 output resolution	VGA1: 2K (2560 × 1440)/60Hz, 1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz VGA2: 1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz
Audio Output	2-ch, RCA (Linear, 1 K Ω)

---

## DECODING

Decoding format	H.265/H.264+/H.264/MPEG4
Recording resolution	12 MP/8 MP/6 MP/5 MP/4 MP/3 MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF
Synchronous playback	16-ch
Capability	4-ch @ 4K or 16-ch @ 1080p

## HARD DISK

SATA	16 SATA interfaces
eSATA	1 eSATA interface
Capacity	500GB/1TB/2TB/3TB/4TB/5TB/6TB

## DISK ARRAY

Array type	RAID0, RAID1, RAID5, RAID6, RAID10
------------	------------------------------------

## VCA

VCA events	IPC uploading supported
------------	-------------------------

## EXTERNAL INTERFACE

Two-way audio	1-ch, RCA (2.0 Vp-p, 1 k $\Omega$ )
Network interface	2, RJ-45 10/100/1000 Mbps self-adaptive Ethernet interface
Serial interface	RS-232; RS-485; Keyboard
USB interface	Front panel: 2 $\times$ USB 2.0; Rear panel: 1 $\times$ USB 3.0
Alarm in/out	16/8

## GENERAL

Power supply	100 to 240 VAC, 50 to 60 Hz
Max. Power	300 W
Consumption (without hard disk)	$\leq$ 45 W
Working temperature	-10 to +55° C (14 to 131° F)
Working humidity	10 to 90 %
Chassis	19-inch rack-mounted 3U chassis
Dimensions (W $\times$ D $\times$ H)	445 $\times$ 496 $\times$ 146 mm (17.5 $\times$ 19.5 $\times$ 5.7")
Weight (without hard disk)	$\leq$ 12.5 Kg (27.6 lb)

## HARDDISK

2310120062	CE-NVR-WD20PURZ HDD 2TB, 3,5" SATA 24/7
2310120063	CE-NVR-WD40PURZ HDD 4TB, 3,5" SATA 24/7
2310120064	CE-NVR-WD60PURZ HDD 6TB, 3,5" SATA 24/7
2310120065	CE-NVR-WD80PURZ HDD 8TB, 3,5" SATA 24/7

## Accessories



DS-1005KI

USB joystick and keyboard



CE-NVR-WD20PURZ  
HDD 2TB

2TB, 3,5" SATA 24/7 HDD  
Drive



CE-NVR-WD40PURZ  
HDD 4TB

4TB, 3,5" SATA 24/7 HDD  
Drive



CE-NVR-WD80PURZ  
HDD 8TB

8TB, 3,5" SATA 24/7 HDD  
Drive