zenitel

DATASHEET



2213100000

CRM-VH

Headset Solution

- Headset solution for IP Flush Master
- Includes ON/OFF switch
- Flush mounting
- Light, comfortable, stereo headset

Description

The CRM-VH is a compact, robust headset solution for the IP Flush Master (CRM-V: 1008431000, 1008031000) in a control room communication system.


The system comes with an ON/OFF switch, so it is possible to combine it with the handset (1008097100) for the IP Flush Master, and use it in loudspeaker mode.

The solution contains a Headset Connection Box for IP Flush Master, headset, 3.5mm audio adapter and 50 cm patch cable.

Technical Dimensions

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

GENERAL	
Headset box	
Dimension (HxWxD) (mm)	96 x 96 x 80
Weight	0.235 kg
Connection telephone	50 cm RJ11 patch cable
Connection headset	2 x 3.5 mm mini-jack
IP	IP-21
Headset	
Cable length	2 m
Weight	0.6 kg
Connector	1 x 3.5 mm mini-jack
Headphones impedance	32 ohm
Headphones frequency response	42-17 kHz
Microphone impedance	2,2 kOhm
Microphone frequency response	90-15 kHz
Microphone sensitivity	-40 dBV/Pa
Pick-up pattern	Unidirectional

Used With

www.zenitel.com info@zenitel.com Last revision date: 2026-10-28 11:01

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



CRM-V-2

IP Flush Master Station

Item Number: 1008431000

www.zenitel.com info@zenitel.com Last revision date: 2026-10-28 11:01

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.