

2211100522

SMART1-SP-HS

Easy to use lightweight DECT handset.

DECT telephone with 2" screen.



 HD Voice

Description

SPEAK is wireless telephone with 2" super clear screen designed for mobile workers in indoor environment. Combine SPEAK with SMART1 handsets and you will have a complete interference free 1880-1900MHz band solution for critical communications in onsite/indoor environments.

- ✓ 2" Display
- ✓ High Definition (HD) Audio G.722 (40-7000 Hz)
- ✓ DECT encryption according to EN 300 444 and EN 300 700
- ✓ Wide band speaker phone
- ✓ Easy to change battery
- ✓ Local telephone book with 100 entries

- ✓ Central phonebook with 3000 entries
- ✓ Headset connector 3,5mm
- ✓ Upgradable "over the air"
- ✓ Vibrator
- ✓ Polyphonic ring tones

** Item 2211100566, CMS Smart Message License for SPEAK: Needed for receiving messages and alarms on SPEAK Handset*

Specifications

GENERAL

Size in mm	140 x 48 x 25
Weight	136g
Display	2" TFT, 176x220 pixels, 3 colour MWI LED
Headset Jack	3.5mm, Iphone compliant
Phonebook	Local phonebook with 100 entries, Central phonebook with 3000 entries
Battery	1100mAh LithIon standard battery
Charging	Charge time: 5 hours, EU/US/AUS/UK plugs supported, Table charging cradle, Charging conditions: +5° to 45°
Talk Time	18h(NB), 12h(WB)
Standby	200hours
DECT	Europe, Latin America, US. 4 power levels, Encryption supported
Approvals	EN 301 406, EN 301 489-1, EN 301 489-6, EN 60950-1, FCC part 15

Accessories

DISCONTINUED



SMART1-AP

SMART1 multicell base station

DISCONTINUED



SMART1-MG

SMART1 Manager software for managing, controlling and updating the SMART1 handsets.

DISCONTINUED



CMS-SV

IP DECT Alarm and Message Server for SMART1 systems.