zenitel

DATASHEET

2131000208

VLS-30TF

Horn loudspeaker 30W 100V with fuse



- Robust and powerful horn speaker
- Suitable for outdoor installation in harsh environments
- Prepared for loop in/ loop out connection
- 1x M20 gland and 1x blind plug included

IP66

Description

- General purpose 30W horn loudspeaker with transformer for 100V line and fuse
- Especially suitabable for use in industrial sites or tough environments
- ABS housing and stainless steel bracket ensures good corrosion properties
- With 6 different power tappings: 5W, 10W, 15W, 20W, 25W, 30W


www.zenitel.com info@zenitel.com

Last revision date: 2026-08-21 09:28

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Technical Dimensions



www.zenitel.com info@zenitel.com Last revision date: 2026-08-21 09:28

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

GENERAL	
Dimension (mm)	315W x 170H x 350D
Material, finish	ABS, grey
Mounting	Bracket, stainless steel grade 304
Connection	1x M20 gland and 1x blind plug included
M20 Cable Gland Sealing Range	8.5 - 12mm
Weight	2,49 kg
Rated power	30W rms
SPL at 1kHz	108dB/1W/1m - 123dB/30W/1 m
Effective frequency range	240 - 10000 Hz
IP rating	IP66
Temperature range	-40 ∘C - +55 ∘C
Power tappings	30/25/20/15/10/5W
Impedance	330/400/500/670/1k/2k
Environmental Condition	Exposed

OTHER	
2131000207	Additional M20 cable gland for VLS-15(TF)/VLS-30(TF). Not included and not mounted.

Accessories

www.zenitel.com info@zenitel.com Last revision date: 2026-08-21 09:28

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



VLS-GLAND

Cable gland for VLS-15/30

Item Number: 2131000207

www.zenitel.com info@zenitel.com Last revision date: 2026-08-21 09:28

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.