

2220012344

## CISCO ISDN Gateway

CISCO ISDN Gateway 4331 w/ 10 SIP to SIP trunk licenses



---

### Description

The Cisco 4000 Series Integrated Services Routers (ISR) revolutionize WAN communications in the enterprise branch. With new levels of built-in intelligent network capabilities and convergence, the routers specifically address the growing need for application-aware networking in distributed enterprise sites. These locations tend to have lean IT resources. But they often also have a growing need for direct communication with both private data centers and public clouds across diverse links, including Multiprotocol Label Switching (MPLS) VPNs and the Internet.

# Specifications

## TECHNICAL SPECIFICATIONS

3x Total onboard WAN or  
LAN 10/100/1000 ports

2x RJ-45-based ports

2x SFP-based ports

1x Enhanced service-  
module slots

2x NIM slots

1x Onboard ISC slot

1x Cisco 1-port T1/E1  
Multiflex Trunk Voice/Clear-  
channel Data

PVDM4-32

CUBEE10

IP Base + Unified  
Communications License:  
Cisco Unified  
Communications Manager  
Express, Survivable Remote  
Site Telephony (SRST)

Aggregate Throughput 100  
Mbps to 300 Mbps

## ENVIRONMENT

Operating temperature 32 to 104°F (0 to 40°C)

Operating relative humidity 5% to 85%

## ELECTRICAL CHARACTERISTICS

Frequency 50 to 60 Hz

Maximum heat dissipation 853.03 BTU/hr

AC voltage 100 / 240 VAC

Current 3 / 1.3 A

Maximum power rating 250 W

AC input surge current 60 A peak and less than 5  
Arms per half cycle

## DIMENSIONS & WEIGHT

Dimensions (W x D x H)	438.15 x 438.15 x 44.45 mm
------------------------	----------------------------

Weight	6.2 kg
--------	--------

Mounting	Rack Mountable, 1HU
----------	---------------------