

2320005053

DVB to IP Gateway 8X v2

DVB to IP Gateway 8X v2 w/ 8x DVB-S/S2/T/T2/C/C2 inputs + 8x CI slots



Description

The DVB to IP Gateway 8X v2 is a universal solution for receiving, decoding, and multicast or unicast streaming of satellite, terrestrial, and cable TV channels. The key advantages of the DVB to IP Gateway are its high density and compactness - the 1U rack-mount server can receive and decode 8 transponders/multiplexers. All 8 DVB inputs and 8 Common Interface (CI) slots are located at the rear panel of the device. It is used together with IPTV Server 8000 if more than 8 DVB tuners are required.

Specifications

PHYSICAL & POWER

Mounting	Rack Mountable, 1HU
Weight	6,5 Kg
Dimension (W x H x D)	440 x 44 x 410 mm
Power supply	90-264 VAC, 47-63 Hz
Max. power consumption	175W
IP rating	IP20

PERFORMANCE

Satellite TV channels can be received from 8 different transponders at total bandwidth of 240 Mb/s

MEDIA CONTENT FORMAT

Video formats	H.264 (MPEG-4 AVC) transport stream
Recommended bit rate	4 Mb/s and more
Definition	SD, HD, FullHD, UHD

Accessories



[Transcoder Add On](#)

Transcoder Add On License and Software



[PowerCam Profesional CAM](#)

PowerCam Profesional CAM