

2310111065

S6230-ESGL1

Outdoor Spectra Enhanced HD1080p Stainless Steel

 IP66

Description

The high-speed IP-PTZ dome cameras take a leap in image quality with the new Spectra® Enhanced product offering. The top tier dome provides industry-leading image quality with a wide dynamic range (WDR) imaging system, 60 images per second video (ips), electronic image stabilization, and a whole host of features such as image defog and Pelco's full suite of behavioral analytics.

- ✔ SureVision 3.0 Technology, Including:
 - ✔ 130 dB Wide Dynamic Range (WDR)
 - ✔ Advanced Low Light Down to 0.03 LUX on Select Models
 - ✔ Anti-Bloom Technology
 - ✔ 3D Noise Filtering
 - ✔ Enhanced Tone Mapping
- ✔ Up to Full HD 1080p and up to 60 Images per Second (ips)

- ✓ Power over Ethernet (HPoE and PoE+), 24 VAC, 24 VDC
- ✓ H.264 Smart Compression Technology
- ✓ Three Automatic Defog Options
- ✓ Electronic Image Stabilization (EIS)
- ✓ Built-in Analytics Suite
- ✓ Vandal Resistant IK10 Smoked or Clear Bubble
- ✓ SDXC Memory Card with up to 2TB
- ✓ Compatible with Pelco and Third-Party Video Systems

Specifications

GENERAL

Dimensions (ØxH)	218 x 282mm
Weight	3,1 Kg
Power	PoE
Power with heater	24VAC (3amp)
Camera Sensor Type	1/2.8 inch Type Exmor CMOS Sensor
Camera Optical Zoom	30X
Digital Zoom	12X
Maximum Resolution	1920 x 1080
Horizontal Angle of View	63.7° Wide - 2.3° tele
Day/Night Capabilities	Yes
Signal-to-Noise Ratio	> 50dB
Wide Dinamic Range	130 dB
Active Noise Filtering	3D Noise Filtering
Electronic Image Stabilization	Yes

Accessories



IDM4012SS

Bracket for Spectra dome
stainless steel SD-429 &
S6230

Item Number: 2310111002