



# 2809016040

**Emergency Communication Tower / Stanchion** 

1604 72" Tower

Note: This product is only available in North America



Emergency points

# Description

- Economical and reliable emergency communications
- Extremely durable design Resists environment and vandalism
- LED Blue Light flashes when unit is activated LED Blue Light is constantly on
- Easy to install, versatile, modular design
- Units meet all ADA requirements
- Obesign can be customized to meet customer requirements (color and lettering)
- ✓ Voltage Options 120 VAC, 12/24 VDC & 24 VAC
- Note: All IP Turbine Intercoms Require IP station license when used in AlphaCom mode.

The Emergency Stanchion is a vandal resistant 6' tower designed for use with the Zenitel hands-free emergency stations. It is ideal for college campuses, open lot parking facilities, medical centers, city streets, and any other open space where security is a concern.

The stanchion comes equipped with an integrated blue light. The blue light is always lit, calling attention to the location of the emergency intercom. The LED light automatically pulses when the emergency intercom is activated. The pulsing continues until terminated by the security personnel receiving the emergency call.

The tower is made of a vandal resistant 1/4" thick steel column with a multicoat, rust inhibitive coating design to withstand prolonged exposure to harsh environments. The blue LED light/strobe is located on top of the column. The stanchion has a variety of lettering, signage and color options available. The station has a LED panel light that illuminates the face of the emergency intercom.

The Turbine series of stations and the 1600TA Plate with TA-18USA backbox (107216008140) are both ordered separately. See more information on the specifications page for part numbers.

#### www.zenitel.com

#### info@zenitel.com

Zenitel and its subsidiaries assume no resoonsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

# Specifications

## TURBINE SERIES IP:

| 107216008140 | 1600 Turbine Plate w TA-18 USA<br>Box |
|--------------|---------------------------------------|
| 1008111010   | TCIS-1                                |
| 1008111020   | TCIS-2                                |
| 1008111030   | TCIS-3                                |
| 1008111040   | TCIS-4                                |
| 1008111050   | TCIS-5                                |
| 1008111060   | TCIS-6                                |

# TURBINE SERIES ANALOG:

| 1008114010 | TCAS-1  |
|------------|---|
| 1008114020 | TCAS-2  |
| 1008114030 | TCAS-3  |
| 1072968903 | Relay Board (required for Turbine<br>Analog Stations) |

## GENERAL

| Dimensions:   | 6' H x 10" W x 8" D  |
|---------------|--|
| Mount Weight: | 30 lbs.  |
| Construction: | 0.25" (6.3mm) steel with multi-coat<br>rust inhibitive coating                     |
| Mounting:     | Mounts into concrete foundation<br>using included hardware (shipped in<br>advance) |

## TURBINE SERIES VIDEO:

| 1008315020 | TCIV-2+ |
|------------|---------|
| 1008315030 | TCIV-3+ |
| 1008315050 | TCIV-5+ |
| 1008315060 | TCIV-6+ |

# page 2/2

#### www.zenitel.com

#### info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.