zenitel

DATASHEET

2340300000

SPA-GACU

General Alarm Central Unit



Description

General Alarm Central Unit in the SPA series is a compact system which includes everything needed for GA activation and indication and connection to external alarm panels on ship together with powered contact output for external connections.

- Power supply main 110 / 230V AC and 24VDC emergency
- Built-in alarm generator
- Built-in relay boards for output to ships bell etc.
- Screw terminals for ship's cable
- Compact steel housing for wall mounting


www.zenitel.com info@zenitel.com

Last revision date: 2023-10-05 15:52

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Technical Dimensions



www.zenitel.com info@zenitel.com Last revision date: 2023-10-05 15:52

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

GENERAL

Dimensions (WxHxD)	300 x 430 x 163mm
Color	Light grey RAL 7035
Weight	~ 8 Kg
Voltage input main / emergency	110 - 230 VAC / 24VDC
Maximum power output (total)	240 W
Protection	IP-66
Environmental Condition	Exposed

www.zenitel.com info@zenitel.com Last revision date: 2023-10-05 15:52

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.