



2220012649

ASA5506-K9

Cisco ASA 5506 with FirePOWER services

Description

- Industry's first threat-focused NGFW; provides ASA firewall functionality, advanced threat protection, and advanced breach detection and remediation combined in a single device
- Rich routing, stateful firewall, Network Address Translation, and dynamic clustering for high-performance, highly secure, and reliable access with Cisco AnyConnect VPN
- Superior threat prevention and mitigation for both known and unknown threats
- Oetection, blocking, tracking, analysis, and remediation to protect the enterprise against targeted and persistent malware attacks
- Policy enforcement based on complete visibility of users, mobile devices, client-side applications, communication between virtual machines, vulnerabilities, threats, and URLs
- Application-layer control (over applications, geolocations, users, websites) and ability to enforce usage and tailor detection policies based on custom applications and URLs
- Dashboards and drill-down reports of discovered hosts, applications, threats, and indications of compromise for

page 1/3

- comprehensive visibility
- Lower operating cost and administrative complexity with threat correlation, impact assessment, automated security policy tuning, and user identification
- Highly scalable security appliance architecture that performs at up to multigigabit speeds; consistent and robust security across small office, branch offices, Internet edge, and data centers in either physical and virtual environments
- Extends secure corporate network access beyond corporate laptops to personal mobile devices, regardless of physical location; support for Cisco AnyConnect Secure Mobility Solution, with granular, application-level VPN capability, as well as native Apple iOS and Android VPN clients
- Protect traffic, including VoIP and client-server application data, across the distributed enterprise and branch
 offices
- Unmatched security and web reputation intelligence provides real-time threat intelligence and security protection
- Includes 8-port Gigabit Ethernet switch, stateful firewall, 3DES/AES license

Cisco ASA with FirePOWER Services delivers integrated threat defense for the entire attack continuum - before, during, and after an attack, by combining the proven security capabilities of the Cisco ASA firewall with the industry-leading Sourcefire threat and Advanced Malware Protection (AMP) features together in a single device.

Specifications

INTERFACES

Integrated I/O	8 x 1 Gigabit Ethernet (GE)
Dedicated management port	Yes (To be shared with FirePOWER Services), 10/100/1000
Serial ports	1 RJ-45 and Mini USB console

OPERATING PARAMETERS

Temperature	0 to 40 °C
Relative humidity	90 percent noncondensing

POWER INPUT (PER POWER SUPPLY)

AC range line voltage	External, 90 to 240 volts alternating current (VAC)
AC normal line voltage	90 to 240 VAC
AC frequency	50/60 Hz

OUTPUT

Steady state	12V @2.5A
Maximum peak	12V @ 5A

DESCRIPTION

Form factor	Desktop, rack mountable
Dimensions (H x W x D)	43.69 x 199.92 x 234.44 mm
Weight (with AC power supply)	1.82 kg

page 3/3