



#### 3006200028

# VSP-212M-L

Main Station Panel Mounted with Relay 20-Way

- 20 stations system
- 2 positions group selector switch
- 10 position line selector switch
- Built-in relay latch timer for activation of external visible or audible 24VDC signal units
- Alarm stop button
- Noise compensated microphone
- Optical LED call indication at front (in addition to audible call signal)
- Flush mounted
- Wall mounting with corresponding metal cabinet type MBOKS-G
- Desk mounting with corresponding wooden cabinet type VSPC-OAK

# Description


# VSP-212M-L Main Station: 20-way Batteryless Communication for Vessels

The VSP-212M-L Main Station is an integral part of our 20-Way Batteryless Telephone System, designed to offer clear and uninterrupted communication in various maritime environments. Its design and features cater to ships looking for a sturdy and reliable communication system. Features include:

- Versatile Mounting Options: Can be flush-mounted, wall-mounted, or desk-mounted to fit different spaces and needs.
- External Signal Activation: Comes with a built-in relay latch timer for external visible or audible signals, enhancing safety alerts.
- Noise-Compensated Microphone: Ensures clear communication in noisy areas, such as engine rooms.

Suitable for control rooms and areas with high ambient noise, the VSP-212M-L ensures compliance with safety communication requirements onboard.

## **Technical Dimensions**



page 2/4

# **Specifications**

#### **GENERAL**

Connections	Screw terminals
Relay switching capacity (max)	4A
Colour	Black
IP rating	IP-44
Dimensions	238 x 130 x 77 mm
Panel cut-out	205 x 105 mm
Weight	1.30 kg
Operating temperature range	-25°C to 55°C
Compass Safe Distance	> 155cm

## Accessories





Protection cover for VSP-stations



MBOKS-G

VSP Batteryless Telephone System



VSPC-OAK

Wooden OAK Cabinet



VSP-36-PEL-A

Headset with boom mic, headband, and 10m cable



VSP-36-PEL-A/20

Headset with boom mic, headband, and 20m cable



CD-4

Plugbox Waterproof



VSP-36-PELP-A

Headset with boom mic, headband, and 10m cable



VSP-36-PELP-A/20

Headset with boom mic, headband, and 20m cable

page 3/4



### VSP-36-PELP-A/25

Headset with boom mic, headband, and 25m cable



#### IRR-VSPM-24

Relay box 24V DC for VSP M



## IRR-VSPM-220

Relay Box 220V AC for 20 Way system

page 4/4