zenitel

DATASHEET

2340120022

MR1301

Digital Audio Recorder/Player

Description

- 16 different messages
- Front panel with key access to operate the device manually
- Display and LEDs for status indication and message selection
- Software for configuration of messages
- Web interface for digital stored messages and configuration (uSD card on MkI revision)
- Possible to add up to 20 audio files to a single message
- Aux line inputs for recording
- 1/4" Stereo phone jack for dynamic microphone with balanced input signal. Used for voice recording for unit.

www.zenitel.com info@zenitel.com

Last revision date: 2023-10-11 13:46

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

- Rear panel with connectors for remote control/switches
- Potential-free switching for message indication.
- Including rack expansion

www.zenitel.com info@zenitel.com Last revision date: 2023-10-11 13:46

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

GENERAL	
Size	19" wide, 1HU high
Weight	2.5 kg
Mounting	19" rack mounted 1 HU
Operating voltage	24 VDC / 1W (21,6 - 31,2 VDC)
Input	Line RCA or Microphone jack
Output	Terminals
Environmental Condition	Protected

Accessories

SPA-REM7

Remote panel w/ 7 start & 1 stop button

Item Number: 3005010177

www.zenitel.com info@zenitel.com Last revision date: 2023-10-11 13:46

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.