

4000016791

## P-3130

CIS Talkback Master Station



- ✓ Complies with IEC 60945 Standard for Marine Equipment
- ✓ DNV Type Approval
- ✓ CCS Type Approval



Onboard communication

## Description

### CIS Talkback Master Station P-3130

P-3130: Comprehensive Maritime Communication Solution


The CIS Talkback Master Station P-3130 redefines effective maritime communication, accommodating up to 15 substations and up to 4 remote control units for a tailored communication network. Its robust design and versatile features make it a standout choice for enhanced onboard communication strategies.

Highlights include:

- ✓ 15 Substation/Loudspeaker Lines: With connection capabilities for up to 4 remote control units (Types P-3131, P-3132).
- ✓ 3x 12W Output Power: Delivers exceptional audio quality, expandable with line amplifiers.
- ✓ Flexible Audio Options: Comes with an integrated microphone and loudspeaker, plus options for additional microphones and speakers.

Designed to support diverse maritime operations, the P-3130 offers point-to-point, group, and all-call functionality, alongside emergency Public Address capabilities, ensuring clear communication is always within reach.

## Technical Dimensions



# Specifications

## MECHANICAL

Dimensions (WxHxD)	192x144x100 mm
--------------------	----------------

Weight	2.7 kg
--------	--------

Color	RAL 9005
-------	----------

Material	Aluminium / PC
----------	----------------

Mounting	Flush / Console
----------	-----------------

Fixing	4 x M4 bolts
--------	--------------

Access	Front
--------	-------

Cable Entry	Rear
-------------	------

## ELECTRICAL

Power Supply	24 VDC (22-32 VDC)
--------------	--------------------

Power Consumption	70W (peak), 7.5W (typical)
-------------------	----------------------------

Fuse	5x20 mm, 2A T
------	---------------

Heat Dissipation (typical/max)	< 7.5W / 30W
--------------------------------	--------------

Termination	Screw terminals $\leq$ 1.5mm <sup>2</sup>
-------------	---

Compass Safe Distance	> 2.2 m
-----------------------	---------

## AMPLIFIER(S)

Frequency Range	300-3400 Hz
-----------------	-------------

Power Output	3 x 10W / 4 $\Omega$ (Substation Lines 1-5, 6-10, and 11-15)
--------------	--

## ENVIRONMENTAL

Temperature	-15°C to +55°C
-------------	----------------

Humidity	+93% (at +40°C)
----------	-----------------

Ingress Protection Rating	IP-22
---------------------------	-------

# Accessories



Wallbox for CIS (192mm)

Wallbox for CIS Talkback System (144x192mm)



P-3133

3133 PA Interface for 3130 system



P-9029

Headset with boom mic, headband, and 10m cable



P-9026

Dimmer module for CIS P-31XX Master Stations



DIMMER BOARD FOR CIS 31XX

97301-022



U2410

Foot Switch Indoor Use



Goose Neck Microphone, 60 cm

Additional gooseneck microphone for CIS Talkback Master Stations

## Used With



P-3131

Remote Talkback Master  
Station



P-3132

Remote Talkback Master  
Station