



4000016789

## P-3131

### Remote Talkback Master Station

- ✓ Complies with IEC 60945 Standard for Marine Equipment
- ✓ DNV Type Approval
- ✓ CCS Type Approval



Onboard communication

## Description

### CIS Remote Talkback Master Station P-3131

Streamlined Maritime Communication: The P-3131


The CIS Remote Talkback Master Station P-3131 enhances the Command Intercom System with its watertight design and remote operation capabilities. Designed for seamless integration with the Master Station P-3130, it enables clear communication across 15 substations and direct interaction with Master and Remote Master Stations (type P-3132).

Key features include:

- ✓ 15 Substation/Loudspeaker Lines: For extensive communication reach.
- ✓ Remote Operation: Communicate directly with the P-3130 and P-3132 units.
- ✓ Dedicated Control Outputs: For external call signal devices.
- ✓ Flexible Audio Setup: Integrated microphone with connections for handheld microphones and additional external loudspeakers.

Practical for various maritime settings, the P-3131 facilitates essential communication functions, including point-to-point,

# Technical Dimensions



# Specifications

## MECHANICAL

Dimensions (WxHxD)	200x150x78 mm
Weight	0.75 kg
Color	RAL 7035/9005
Material	Polycarbonate
Mounting	Bulkhead
Fixing	4 x M4 bolts
Access	Front
Cable Entry	Bottom
Gland Type	1x PG 21 / 1x PG 13.5

## ELECTRICAL

Power Supply	24 VDC (22-32 VDC)
Frequency Range	300-3400 Hz
Power Consumption	25W (peak), 3W (typical)
Fuse	5x20 mm, 2A T
Heat Dissipation (typical/max)	< 3W / 10W
Termination	Screw terminals $\leq 1.5$ mm <sup>2</sup>
Compass Safe Distance	> 5 m

## ENVIRONMENTAL

Temperature	-15°C to +55°C
Humidity	+93% (at +40°C)
Ingress Protection Rating	IP-55