

4000016787

P-3132

Remote Talkback Master Station



- ✓ Complies with IEC 60945 Standard for Marine Equipment
- ✓ DNV Type Approval
- ✓ CCS Type Approval



Onboard communication

Description

CIS Remote Talkback Master Station P-3132

Enhanced Maritime Communication Compliance: The P-3132

The CIS Remote Talkback Master Station P-3132 is a robust solution for maritime communication, complying with IEC 60945 Standard for Marine Equipment and featuring DNV type approval and NORSOK compatibility. This unit supports up to 15 substations and offers versatile control for comprehensive onboard communication strategies.


Highlights include:

- ✓ Comprehensive Communication Network: Supports communication with the master station and 3 other remote control units.
- ✓ Integrated Audio: Features both an integrated microphone and loudspeaker, with additional connections for enhanced audio options.
- ✓ Volume Control & Power: Front volume control with 12W output power for clear sound across all environments.

- ☑ IEC 60945 Compliance: Meets strict standards for marine equipment, ensuring reliability and safety.

Designed for advanced communication needs, the P-3132 supports direct communication with the P-3130 and other remote stations, offering point-to-point, group, and all calls, along with emergency Public Address capabilities.

Technical Dimensions



Specifications

MECHANICAL

Dimensions (WxHxD)	192x144x100 mm
--------------------	----------------

Weight	1.5 kg
--------	--------

Color	RAL 9005
-------	----------

Material	Aluminium / PC
----------	----------------

Mounting	Flush / Console
----------	-----------------

Fixing	4 x M4 bolts
--------	--------------

Access	Front
--------	-------

Cable Entry	Rear
-------------	------

ELECTRICAL

Power Supply	24 VDC (22-32 VDC)
--------------	--------------------

Frequency Range	300-3400 Hz
-----------------	-------------

Power Consumption	25W (peak), 3W (typical)
-------------------	--------------------------

Fuse	5x20 mm, 2A T
------	---------------

Heat Dissipation (typical/max)	< 3W / 10W
-----------------------------------	------------

Termination	Screw terminals \leq 1.5mm ²
-------------	--

Compass Safe Distance	> 2.2 m
-----------------------	---------

ENVIRONMENTAL

Temperature	-15°C to +55°C
-------------	----------------

Humidity	+93% (at +40°C)
----------	-----------------

Ingress Protection Rating	IP-22
---------------------------	-------

Accessories



Wallbox for CIS (192mm)

Wallbox for CIS Talkback System (144x192mm)



P-9029

Headset with boom mic, headband, and 10m cable



P-9026

Dimmer module for CIS P-31XX Master Stations



DIMMER BOARD FOR CIS 31XX

97301-022



U2410

Foot Switch Indoor Use



Goose Neck Microphone, 60 cm

Additional gooseneck microphone for CIS Talkback Master Stations

Used With



P-3130

CIS Talkback Master Station