



4000016774

P-3101

CIS Talkback Master Station

- Complies with IEC 60945 Standard for Marine Equipment
- ONV Type Approval
- CCS Type Approval



Onboard communication

Description CIS Talkback Master Station P-3101

Enhanced Maritime Communication with the P-3101

The CIS Talkback Master Station P-3101 strengthens maritime operations through a comprehensive communication system. Designed to facilitate seamless communication, this unit connects with up to 10 substations/loudspeaker lines, ensuring broad coverage across the vessel.

Features include:

- ⊘ 10 Substation/Loudspeaker Lines: Expands communication reach onboard.
- ✓ 4 Control Outputs: For external call signal devices, compatible with substation types P-9003, P-9016, P-9135.
- Dual 12W Output Power: Offers robust sound clarity, further expandable with line amplifiers.
- Integrated Audio Controls: Includes an integrated microphone and loudspeaker, plus connections for gooseneck or

www.zenitel.com


info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

handheld microphones and additional external speakers.

Designed for operational efficiency and safety, the P-3101 supports critical communication needs with point-to-point, group, and all-call functionality alongside emergency Public Address capabilities.

Technical Dimensions



www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

Specifications

MECHANICAL

Dimensions (WxHxD)	144x144x100 mm
Weight	2.5 kg
Color	RAL 9005
Material	Aluminium / PC
Mounting	Flush / Console
Fixing	4 x M4 bolts
Access	Front
Cable Entry	Rear

ELECTRICAL

Power Supply	24 VDC (22-32 VDC)
Power Consumption	45W (peak), 5W (typical)
Fuse	5x20 mm, 2A T
Heat Dissipation (typical/max)	< 5W / 20W
Termination	Screw terminals ≤ 1.5mm2
Compass Safe Distance	> 2.2 m

AMPLIFIER(S)

Frequency Range	300-3400 Hz
Power Output	2 x 10W / 4 Ω (Substation Lines 1-5 and 6-10)

ENVIRONMENTAL

Temperature	-15°C to +55°C
Humidity	+93% (at +40°C)
Ingress Protection Rating	IP-22

page 3/4

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

Accessories



Wallbox for CIS & SRS -(144mm)

Wallbox for CIS Talkback System and SRS P-8300 MkII - (144mm



P-9029

Headset with boom mic, headband, and 10m cable

P-9026

Dimmer module for CIS P-31XX Master Stations



DIMMER BOARD FOR CIS 31XX

97301-022



U2410

Foot Switch Indoor Use



Goose Neck Microphone, 60 cm

Additional gooseneck microphone for CIS Talkback Master Stations



Built-in PCB for 3100, 3101, 3102 - control of additional 4 x substations with signal devices

97301-009



Goose Neck Microphone, 30 cm

Additional gooseneck microphone for CIS Talkback Master Stations

page 4/4

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.