

4000016774

P-3101

CIS Talkback Master Station



- ✓ Complies with IEC 60945 Standard for Marine Equipment
- ✓ DNV Type Approval
- ✓ CCS Type Approval



Onboard communication

Description

CIS Talkback Master Station P-3101

Enhanced Maritime Communication with the P-3101


The CIS Talkback Master Station P-3101 strengthens maritime operations through a comprehensive communication system. Designed to facilitate seamless communication, this unit connects with up to 10 substations/loudspeaker lines, ensuring broad coverage across the vessel.

Features include:

- ✓ 10 Substation/Loudspeaker Lines: Expands communication reach onboard.
- ✓ 4 Control Outputs: For external call signal devices, compatible with substation types P-9003, P-9016, P-9135.
- ✓ Dual 12W Output Power: Offers robust sound clarity, further expandable with line amplifiers.
- ✓ Integrated Audio Controls: Includes an integrated microphone and loudspeaker, plus connections for gooseneck or

Designed for operational efficiency and safety, the P-3101 supports critical communication needs with point-to-point, group, and all-call functionality alongside emergency Public Address capabilities.

Technical Dimensions



Specifications

MECHANICAL

Dimensions (WxHxD)	144x144x100 mm
--------------------	----------------

Weight	2.5 kg
--------	--------

Color	RAL 9005
-------	----------

Material	Aluminium / PC
----------	----------------

Mounting	Flush / Console
----------	-----------------

Fixing	4 x M4 bolts
--------	--------------

Access	Front
--------	-------

Cable Entry	Rear
-------------	------

ELECTRICAL

Power Supply	24 VDC (22-32 VDC)
--------------	--------------------

Power Consumption	45W (peak), 5W (typical)
-------------------	--------------------------

Fuse	5x20 mm, 2A T
------	---------------

Heat Dissipation (typical/max)	< 5W / 20W
-----------------------------------	------------

Termination	Screw terminals \leq 1.5mm ²
-------------	--

Compass Safe Distance	> 2.2 m
-----------------------	---------

AMPLIFIER(S)

Frequency Range	300-3400 Hz
-----------------	-------------

Power Output	2 x 10W / 4 Ω (Substation Lines 1-5 and 6-10)
--------------	---

ENVIRONMENTAL

Temperature	-15°C to +55°C
-------------	----------------

Humidity	+93% (at +40°C)
----------	-----------------

Ingress Protection Rating	IP-22
---------------------------	-------

Accessories



Wallbox for CIS & SRS - (144mm)

Wallbox for CIS Talkback System and SRS P-8300 MkII - (144mm)

Item Number: 4000014256P



P-9029

Headset with boom mic, headband, and 10m cable

Item Number: 4000018610



P-9026

Dimmer module for CIS P-31XX Master Stations

Item Number: 4000017160



DIMMER BOARD FOR CIS 31XX

97301-022

Item Number: 4000018062



U2410

Foot Switch Indoor Use

Item Number: 3006206029



Goose Neck Microphone, 60 cm

Additional gooseneck microphone for CIS Talkback Master Stations

Item Number: 4000017171



Built-in PCB for 3100, 3101, 3102 - control of additional 4 x substations with signal devices

97301-009

Item Number: 4000017654



Goose Neck Microphone, 30 cm

Additional gooseneck microphone for CIS Talkback Master Stations

Item Number: 4000017343