

2310601040

190000-05

DIGITAL CLOCK, LUMEX 5, RED, TC-M



Description

- ✓ Digit height 50 mm Lumex 5
- ✓ DCF format with time zone adjustment
- ✓ 2 wire bus connection w/ power and serial time code
- ✓ Light intensity of the digits adjustable by a dimmer control

LUMEX 5 is an elegant digital clock for indoor use designed to fit the sophisticated environments of today's Business society. The black case provides an elegant impression. The digits formed of SMD diodes Lumex 5 viewing distance up to 20 m. The light intensity of the digits is adjustable by a dimmer control. Easy to program – via three buttons (NTP configurated via web browser). 48 hours running reserve. After a mains failure correct time is automatically displayed.

page 1/3

Specifications

GENERAL

Housing	Black aluminium
Front	Polycarbonate
Protection	IP-30
Standards	EN61000-6-3:2001 , EN61000-6-2:2005
Power supply	110 - 230V AC
NTP	SNTP, SNMP v1, HTTP, Telnet Fix IP address or DHCP 10BASE-T (RJ-45) connections Web- Based device management Support for DNS
Dimension (WxHxD)	250 x 96 x 50
Mounting / Installation	Single sided for surface wall mounting or single/double sided using bracket
Connection, signal	2 wire
Connection power	3 wire
Microcontroller	PIC16F628
Temperature range	0°C to +40°C
External Power consumption	350 mA
Signal connection Voltage	24VDC combined with serial Time-code

Used With



Marine Master Clock
70000

123378-01 Marine Master
Clock 70000

Marine Master Clock
with Network Time
Server, 70000L

123378-11 Marine Master
Clock 70000L With Network
Time Server

page 3/3