zenitel

DATASHEET

4000015898

# P-9052

## Indoor Substation



- Built-in 2-way loudspeaker
- CALL button
- Splash proof
- Complies with IEC 60945 Standard for Marine Equipment

Onboard communication

## Description

The P-9052 Substation is a command intercom system (Talk-Back) substation for indoor wet environments such as galleys and store rooms. It is a 2-way unit equipped with a CALL button.

## Technical Dimensions




www.zenitel.com info@zenitel.com

Last revision date: 2025-11-12 11:03

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.







www.zenitel.com info@zenitel.com Last revision date: 2025-11-12 11:03

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.




210 x 297 mm





Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

# Specifications

| MECHANICAL | |
|---|---|
| Dimensions (WxHxD) | 100 x 155 x 52 mm (depth 62 mm including call button) |
| Weight | 0.6 kg |
| Color | RAL 9005/steel |
| Material | PC / ABS blend / AISI 316 |
| Mounting | Wall |
| Fixing | 4 x M3 bolts |
| Access | Front |
| Cable Entry | Bottom |
| Gland Type | PG-13.5 |

| ELECTRICAL | |
|---|---|
| Power Supply | From central/line supply |
| SPL (1m) | >80 dB(A) |
| Termination | Screw terminals ≤ 2.5 mm2 |
| Compass Safe Distance | > 5 m |


| ENVIRONMENTAL | |
|---|---|
| Temperature | -15°C to +55°C |
| Humidity | +93% (at +40°C) |
| Ingress Protection Rating | IP-55 |





Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.








Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.